

Page 1/9

Revision: 11.07.2018

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: TRW DOT 5.1 Brake Fluid ESP
- · Article number: PFB750, PFB701, PFB705, PFB720DR
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Brake fluid
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

TRW Automotive Aftermarket

Stratford Road

Shirley

West Midlands

B90 4AX

United Kingdom

Tel. +44.121.506.5000

Fax +44.121.506.5001

www.trwaftermarket.com

cst.uk@trw.com

- · Informing department: Phone: +49 (0) 2631 / 912 0
- · 1.4 Emergency telephone number:

Poison Information Center Munich

Phone: +49 (0) 89 - 19 240

Information in German and English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

CP.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:		
CAS: 143-22-6 EINECS: 205-592-6 Reg.nr.: 01-2119475107-38-X	2-[2-(2-butoxyethoxy)ethoxy]ethanol	2.5 - 10%
CAS: 111-46-6 EINECS: 203-872-2 Reg.nr.: 01-2119457857-21-X	2,2'-oxybisethanol Acute Tox. 4, H302	2.5 - 10%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-X	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	≥ 2.5 - < 10%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Remove contaminated clothing immediately.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Wash with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Instantly call for doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

disziness

Gastric or intestinal trouble

Acidosis

Headache

sickness

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.

(Contd. on page 3)

CP



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 2)

· 5.2 Special hazards arising from the substance or mixture

Inhalation of combustion gases may cause serious health hazards. Formation of flammable mixtures of vapours with air possible.

· 5.3 Advice for firefighters

- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Remove goods in stock from incendiary zone, if possible.

Use water to keep fire exposed containers cool.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the product.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter drainage system, surface or ground water.

If material reaches soil inform authorities responsible for such cases.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Clean the accident area carefully; suitable cleaners are:

warm water and cleaning agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Avoid splashes or spray in enclosed areas.

Don't eat, drink or smoke while working.

- · Information about protection against explosions and fires: Do not heat close to flash point.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store only in the original container.

Keep container tightly closed.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store container in a well ventilated position.

Store under dry conditions.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 3)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit

IOELV: Indicative Occupational Exposure Limit Values, workplace threshold value of the European Union

111-46-6 2,2'-oxybisethanol		
WEL (Great Britain)	Long-term value: 101 mg/m³, 23 ppm	
112-34-5 2-(2-butoxyethoxy)ethanol		
WEL (Great Britain)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
IOELV (European Union)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Do not eat or drink while working.

Wash hands during breaks and at the end of the work.

Do not carry cleaning cloths impregnated with the product in trouser pockets.

Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection only when aerosol or mist is formed.

Filter A/P2.

· Protection of hands:

Use gloves of stable material (i.e. nitril rubber).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

- GB --



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and che	emical properties
General Information	
Appearance: Form:	Fluid
Colour:	Different according to colour
Odour:	odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	7.0 - 11.5 (SAE J 1703)
Change in condition	
Melting point/freezing point:	< -50 °C (SAE J 1703)
Initial boiling point and boiling range:	> 260 °C (SAE J 1703)
Flash point:	> 120 °C (IP 35)
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	> 300 °C (ASTM D 286)
Decomposition temperature:	> 300 °C
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	< 2 mbar
Density at 20 °C	1.03 - 1.09 g/cm³ (DIN 51757)
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water at 2	0
°C:	< 2.0 (OECD 117)
Viscosity:	
dynamic at 20 °C:	5 - 10 cSt (ASTM D 445)
9.2 Other information	No further relevant information available.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Possible formation of peroxide

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid Heat.
- · 10.5 Incompatible materials:

Avoid contact with strong oxidizing agents.

Can attack paints and coatings as well as some platics and rubber.

· 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Splashes can cause temporary eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity Repeated oral intake can cause kidney damage.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 6)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

· European	· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST		
	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)		
16 01 13*	brake fluids		

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

* SECTION 14: Transport information

Void
Void
Void
Void
No
Not applicable.
Not applicable.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018 Version number 4 Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 7)

· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

Trade name: TRW DOT 5.1 Brake Fluid ESP

(Contd. from page 8)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

• * Data compared to the previous version altered.

GB —