



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

\* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** TRW Hydraulic Fluid LHM plus premium

· **Article number:** PFM201, PFM205

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Hydraulic fluid

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

TRW Automotive Aftermarket  
Stratford Road  
Shirley  
West Midlands  
B90 4AX  
United Kingdom  
Tel. +44.121.506.5000  
Fax +44.121.506.5001  
www.trwaftermarket.com  
cst.uk@trw.com

· **Informing department:** Phone: +49 (0) 2631 / 912 - 0

· **1.4 Emergency telephone number:**

Poison Information Center Munich  
Phone: +49 (0) 89 - 19 240  
Information in German and English

\* **SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**

---

(Contd. from page 1)

**- Hazard pictograms**

GHS07 GHS08

**- Signal word** Danger**- Hazard-determining components of labelling:**

Distillates (petroleum), hydrotreated middle

**- Hazard statements**

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

**- Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

**- 2.3 Other hazards****- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.

---

**\* SECTION 3: Composition/information on ingredients****- 3.2 Chemical characterisation: Mixtures****- Description:** Mixture of the substances listed below including additives not requiring identification.**- Dangerous components:**

CAS: 64742-46-7	Distillates (petroleum), hydrotreated middle	25 - 50%
EINECS: 265-148-2	⚠ Asp. Tox. 1, H304; ⚠ STOT SE 3, H336	
Reg.nr.: 01-2119489867-12-X		

**- Additional information** For the wording of the listed hazard phrases refer to section 16.

---

**SECTION 4: First aid measures****- 4.1 Description of first aid measures****- General information** Instantly remove any clothing contaminated by the product.**- After inhalation** Supply fresh air; consult doctor in case of symptoms.

(Contd. on page 3)

— GB —



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**

---

(Contd. from page 2)

- **After skin contact**  
Wash intensively with water and soap. Use protective skin ointment.  
If skin irritation continues, consult a doctor.
  - **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
  - **After swallowing**  
Do not induce vomiting.  
Rinse out mouth.  
Instantly call for doctor.
  - **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
  - **Danger**  
In case of ingestion or vomiting product may enter the lung.  
Aspiration may cause pulmonary oedema and pneumonitis.
  - **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.
- 

## **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents**  
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
  - **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
  - **5.2 Special hazards arising from the substance or mixture**  
Inhalation of combustion gases may cause serious health hazards.  
During incomplete combustion carbon monoxide can be formed.
  - **5.3 Advice for firefighters**
  - **Protective equipment:** Wear self-contained breathing apparatus.
  - **Additional information**  
Remove goods in stock from incendiary zone, if possible.  
Use water to keep fire exposed containers cool.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- 

## **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid contact with the product.  
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
Prevent from spreading (e.g. by damming-in or oil barriers).
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
No dangerous materials are released.

(Contd. on page 4)

— GB —



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**


---

(Contd. from page 3)

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

---

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Prevent formation of aerosols.
  - **Information about protection against explosions and fires:** Do not heat close to flash point.
  - **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
  - **Requirements to be met by storerooms and containers:**  
Store only in the original container.  
Prevent any penetration into the ground.
  - **Information about storage in one common storage facility:** Store away from oxidising agents.
  - **Further information about storage conditions:**  
Keep container tightly sealed.  
Store container in a well ventilated position.  
Store under dry conditions.
  - **7.3 Specific end use(s)** No further relevant information available.
- 

### \* **SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· <b>DNELs</b>		
<b>64742-46-7 Distillates (petroleum), hydrotreated middle</b>		
Oral	DNEL (consumer, long-term, systemic)	1.3 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	2.9 mg/kg bw/day (human)
Inhalative	DNEL (worker, short-term, systemic)	5,003 mg/m <sup>3</sup> (human)
	DNEL (worker, long-term, systemic)	16.4 mg/m <sup>3</sup> (human)
· <b>PNECs</b>		
<b>64742-46-7 Distillates (petroleum), hydrotreated middle</b>		
PNEC oral	17,000 mg/kg food (.)	

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Avoid close or long term contact with the skin.  
Do not carry cleaning cloths impregnated with the product in trouser pockets.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**

---

(Contd. from page 4)

Do not inhale gases / fumes / aerosols.

· **Breathing equipment:**

Not necessary if room is well-ventilated.

Use a breathing protection if high concentrations are present.

Filter A/P2.

· **Protection of hands:** Use gloves of stable material (i.e. nitril rubber).

· **Material of gloves**

Chloroprene rubber, CR

Nitrile rubber, NBR

Recommended thickness of the material: 0.2 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses recommended during refilling.

---

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Light green

· **Odour:** Mineral-oil-like

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point: < -50 °C (ISO 7308)

Initial boiling point and boiling range: 250 - 380 °C (IP 123)

· **Flash point:** > 110 °C (IP 35)

· **Inflammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** > 350 °C (ASTM D 286)

· **Decomposition temperature:** Thermally in general stable.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Critical values for explosion:**

Lower: 1 Vol %

Upper: 8 Vol %

(Contd. on page 6)

GB



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

**Trade name: TRW Hydraulic Fluid LHM plus premium**

(Contd. from page 5)

· <b>Vapour pressure at 20 °C:</b>	< 1 hPa
· <b>Density at 20 °C</b>	0.83 g/cm <sup>3</sup>
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble
· <b>Partition coefficient: n-octanol/water:</b>	> 3 log POW (OECD 117)
· <b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic at 40 °C:</b>	18 mm <sup>2</sup> /s (ASTM D 445)
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Possible formation of peroxide
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Avoid contact with strong oxidizing agents.
- **10.6 Hazardous decomposition products:**  
None in case of intended use and storage in compliance with instructions.

**\* SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:****64742-46-7 Distillates (petroleum), hydrotreated middle**

Oral	LD50	> 5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50	4.6 mg/l/4h (rat) (OECD 403)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
Smallest amounts which can get into the lungs by means of swallowing or subsequent vomiting can cause a pulmonary oedema or pneumonia.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

**Trade name: TRW Hydraulic Fluid LHM plus premium**

(Contd. from page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### \* SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · **Aquatic toxicity:**

##### **64742-46-7 Distillates (petroleum), hydrotreated middle**

EC50 7.38 mg/l/48h (Daphnia magna) (QSAR)

LC50 65 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

- **12.2 Persistence and degradability** Heavily biodegradable
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**

##### · **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

##### · **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · **Recommendation**

Must be specially treated under adherence to official regulations.  
The waste code numbers mentioned are recommendations based on the probable use of the product.

##### · **European waste catalogue**

13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 01 00	waste hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)

(Contd. on page 8)

—GB—





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**

---

(Contd. from page 7)

13 01 00	waste hydraulic oils
13 01 11*	synthetic hydraulic oils

- **Uncleaned packagings:**
  - **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
- 

\* **SECTION 14: Transport information**

· <b>14.1 UN-Number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

---

\* **SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.  
Employment restrictions concerning women of child-bearing age must be observed.

(Contd. on page 9)

— GB —





**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 06.08.2018

Version number 4

Revision: 11.07.2018

---

**Trade name: TRW Hydraulic Fluid LHM plus premium**

---

(Contd. from page 8)

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

---

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

- **Department issuing data specification sheet:**

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

- **\* Data compared to the previous version altered.**

---

GB